



अखिल भारतीय तकनीकी शिक्षा परिषद्  
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION  
(भारत सरकार का एक सांविधिक संस्थान) (A STATUTORY BODY OF THE GOVERNMENT OF INDIA)

(i) Ms. B.R. Pl. note regarding F.No. 740-89-226(E)/RC/94  
with revised intake and tra. June 12, 2003

To

The Secretary,  
Higher & Technical Education  
and Employment, Dept.,  
Govt. of Maharashtra,  
Mantralaya, Mumbai-400 032  
MAHARASHTRA.

copy for information to  
Chairman / NC / Secretary

REC'D  
23/6/03

23/6/03

810

REVISED ORDER

Subject : Extension of approval of AICTE to KOLHAPUR INSTT.OF TECH'S COL OF ENGG GOKULSHIRGAON, TAL KARVIL, KOLHAPUR-416 234, for the academic year 2003-04.

Sir/Madam,

The Application/ Proposal and/ or the Compliance Report received from KOLHAPUR INSTT.OF TECH'S COL OF ENGG GOKULSHIRGAON, TAL KARVIL, KOLHAPUR 416 234, has been processed as per laid down procedure, guidelines, policy and/ or norms & standards of AICTE, mentioned in AICTE Regulations and/ or "AICTE Hand Book for Approval Process".

I am directed to state that the All India council for Technical Education (AICTE) is pleased to accord approval to KOLHAPUR INSTT.OF TECH'S COL OF ENGG GOKULSHIRGAON, TAL KARVIL, KOLHAPUR-416 234, for extension of AICTE Approval with Variation in intake as applicable for under-graduate degree level course(s) in Degree Engineering with annual intake for each course as given below, for the academic year 2003 04.


FULL TIME COURSE(S)	PREVIOUS APPROVED INTAKE	REVISED APPROVED INTAKE	ENTRY LEVEL	DURATION (YEARS)	PERIOD OF APPROVAL
BIO TECH ENGG	45	60 ✓	10+2	4	2003-04
CIVIL ENGINEERING	30	30 ✓	10+2	4	2003-04
COMPUTER ENGINEERING	45	60 ✓	10+2	4	2003-04
ELECTRONICS ENGINEERING	45	60 ✓	10+2	4	2003-04
ENVIRONMENTAL ENGINEERING	30	30 ✓	10+2	4	2003-04
MECHANICAL ENGG	30	30	10+2	4	2003-04
INFORMATION TECH.	30	40	10+2	4	2003-04
PRODUCTION ENGINEERING	45	60	10+2	4	2003-04
Total Annual Intake	300	370			

Seen  
Wells

W

Dr. V. V. Karjinni  
Principal

इन्दिरा गांधी खेल भवन, इन्द्रप्रस्थ कम्प्लेक्स, नई दिल्ली - 110002  
Indira Gandhi Sports Complex, Indraprastha Estate, New Delhi-110002  
दूरभाष / Phone : 23397500 53-65,68,71,73-75 फॅक्स / Fax : 011-23392554



Dr. V. V. Karjinni  
Principal,  
College of Engineering  
Kolhapur

The approval accorded above is subject to fulfillment of the following Conditions:

1. All full time faculty members as per AICTE Norms must be recruited before making admissions.
2. The Institution must have Affiliation to a University for the above courses before making admissions. In the absence of such Affiliation, this Letter of approval shall be treated as Withdrawn. (Order of the High Court of Madras in W.P. No. 33256 of 2002 and other Batch of Petitions).
3. All the required Laboratories/ Workshops/ Machineries/ Equipment, as per approved syllabi of the affiliating University, must be operational before making admissions.
4. The approved course(s) shall commence as per the academic calendar of the Affiliating University.
5. If this Letter of approval is received by you after the closing date of State / National Level Central Counseling for Admissions in the concerned State / Union Territory, this Letter of approval will not be valid for making any admission during the above specified academic year, and shall be treated as withdrawn.
6. No excess admission shall be made by the Institution during any academic year.
7. The approval is valid only for the academic year 2003-2004. If no further extension of AICTE approval is received beyond the academic year 2003-2004, this Approval Letter will not be valid for making any admission for the subsequent years.
8. Name of the Institution, Name of the Society/Trust, are not allowed to be changed without prior approval of AICTE. The name and title of the institution should be such that "the Emblems and Names (Prevention of improper use) Act 12 (1950)" of Government of India, is not violated in any manner.  
  
The use of word "Indian" and /or "National" and/or "All India" and/or "All India Council" and/or Commission" in any part of the name of a Technical Institution and/ or any name whose abbreviated form leads to "IIM"/ "IIT"/"IISC"/"IIIT"/ "AICTE"/ "UGC" shall not be permitted. These restrictions will not be applicable for those institutions which are established with the name approved by the Govt. of India.
9. In exercise of power conferred under 10(p) of the AICTE Act, AICTE, may inspect the Institution any time it may deem fit to verify the progress/ compliance or for any other purpose.
10. Any other condition(s) as may be specified by AICTE from time to time.

It may please be noted that consequent to judgement of Hon'ble Supreme Court delivered on 31/10/2002 in TMA Pai Case, the AICTE had issued interim policy regulations, which has been notified in the Gazette of India on 20/03/2003. All the provisions contained in the interim policy regulations shall be applicable for the academic year 2003-2004 in respect of all the AICTE approved institutions.




  
Dr. V. V. Karjinni  
Principal,  
KIT's College of Engineering  
Kolhapur

Copy 3

F.No.: 740-89-226(E)/RC/94

**In the event of infringement/ contravention or non-compliance of the above Conditions and/or the provision of AICTE Act & Regulations/ Guidelines/ Norms & Standards as prescribed by AICTE, further actions leading to 'Reduced Intake' or "No Admission or Withdrawal of Approval, may be taken by AICTE and the liability arising out of such actions will be solely that of the Management of the Institution.**

Your faithfully,



**(Prof. R.S.Gaud)  
Adviser(UG)**

**Copy to:**

1. Regional Officer, Western Regional Office, AICTE, Industrial Assurance Building, IInd Floor, Veer Nariman Road, Opp. Churchgate Rly. Station, Mumbai - 400 020.
2. The Registrar, SHIVAJI UNIVERSITY
3. The Principal ,  
**KOLHAPUR INSTT.OF TECH'S  
COL OF ENGG GOKULSHIRGAON,  
TAL KARVIL,KOLHAPUR-416 234,**
4. Director of Technical Edu. Govt. of Maharashtra , 3 Mahapalika Marg,  
Mumbai -400 001
5. Guard File.



**Dr. V. V. Karjinni**  
Principal,  
KIT's College of Engineering  
Kolhapur



17

अखिल भारतीय तकनीकी शिक्षा परिषद्  
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION  
(भारत सरकार का एक सांविधिक संस्थान) (A STATUTORY BODY OF THE GOVERNMENT OF INDIA)

S.No.95

F.No. 740-89-226(E)/RC/94

April 30, 2003

Submitted to an/vep  
Secretary for information  
and for further orders pl.

To

The Secretary,  
Higher & Technical Education  
and Employment, Dept.,  
Govt. of Maharashtra,  
Mantralaya, Mumbai-400 032  
MAHARASHTRA.

REC'D  
15/5/03

13 MAY 2001  
13/5/03

engg  
M. coll meeting  
on 16/6/03  
13/5/03

Subject : Extension of approval of AICTE to KOLHAPUR INSTT.OF TECH'S COL OF ENGG GOKULSHIRGAON,TAL KARVIL,KOLHAPUR-416 234, for the academic year 2003-04.

Sir/Madam,

The Application/ Proposal and/ or the Compliance Report received from KOLHAPUR INSTT.OF TECH'S COL OF ENGG GOKULSHIRGAON,TAL KARVIL,KOLHAPUR-416 234, has been processed as per laid down procedure, guidelines, policy and/or norms & standards of AICTE, mentioned in AICTE Regulations and/ or "AICTE Hand Book for Approval Process".

I am directed to state that the All India council for Technical Education (AICTE) is pleased to accord approval to KOLHAPUR INSTT.OF TECH'S COL OF ENGG GOKULSHIRGAON,TAL KARVIL,KOLHAPUR-416 234 , for extension of AICTE approval with Variation in intake as applicable for under-graduate degree level course(s) in Degree Engineering with annual intake for each course as given below, for the academic year 2003-04.

FULL TIME COURSE(S)	EXISTING ANNUAL INTAKE	REVISED APPROVED INTAKE	ENTRY LEVEL	DURATION (YEARS)	PERIOD OF APPROVAL
BIO TECH ENGG	60	45	10+2	4	2003-04
CIVIL ENGINEERING	30	30	10+2	4	2003-04
COMPUTER ENGINEERING	60	45	10+2	4	2003-04
ELECTRONICS ENGINEERING	60	45	10+2	4	2003-04
ENVIRONMENTAL ENGINEERING	30	30	10+2	4	2003-04
MECHANICAL ENGG	30	30	10+2	4	2003-04
INFORMATION TECH.	40	30	10+2	4	2003-04
PRODUCTION ENGINEERING	60	45	10+2	4	2003-04
<b>Total Annual Intake</b>	<b>370</b>	<b>300</b>			

Mansingh



Dr. V. V. Karjinni  
Principal,  
K. J. Somaiya Institute of Engineering  
& Technology, Kolhapur

इंदिरा गांधी खेल परिसर, इन्द्रप्रस्थ एस्टेट, नई दिल्ली-110002  
Indira Gandhi Sports Complex, I.P. Estate, New Delhi-110002  
दूरभाष / Phone : 23392506, 63-65,68,71,73-75 फैक्स / Fax : 011-23392506

seen  
Mentzsch

The approval accorded above is subject to fulfillment of the following Conditions:

1. All full time faculty members as per AICTE Norms must be recruited before making admissions.
2. The Institution must have Affiliation to a University for the above courses before making admissions. In the absence of such Affiliation, this Letter of approval shall be treated as Withdrawn. (Order of the High Court of Madras in W.P. No. 33256 of 2002 and other Batch of Petitions).
3. All the required Laboratories/ Workshops/ Machineries/ Equipment, as per approved syllabi of the affiliating University, must be operational before making admissions.
4. The approved course(s) shall commence as per the academic calendar of the Affiliating University.
5. If this Letter of approval is received by you after the closing date of State / National Level Central Counseling for Admissions in the concerned State / Union Territory, this Letter of approval will not be valid for making any admission during the above specified academic year, and shall be treated as withdrawn.
6. No excess admission shall be made by the Institution during any academic year.
7. The approval is valid only for the academic year 2003-2004. If no further extension of AICTE approval is received beyond the academic year 2003-2004, this Approval Letter will not be valid for making any admission for the subsequent years.
8. Name of the Institution, Name of the Society/Trust, are not allowed to be changed without prior approval of AICTE. The name and title of the institution should be such that "the Emblems and Names (Prevention of improper use) Act 12 (1950)" of Government of India, is not violated in any manner.  
  
The use of word "Indian" and /or "National" and/or "All India" and/or "All India Council" and/or Commission" in any part of the name of a Technical Institution and/ or any name whose abbreviated form leads to "IIM"/ "IIT"/"IISC"/"IIIT"/ "AICTE"/ "UG" shall not be permitted. These restrictions will not be applicable for those institutions which are established with the name approved by the Govt. of India.
9. In exercise of power conferred under 10(p) of the AICTE Act, AICTE may inspect the Institution any time it may deem fit to verify the progress/ compliance or for any other purpose.
10. Any other condition(s) as may be specified by AICTE from time to time.

It may please be noted that consequent to judgement of Hon'ble Supreme Court delivered on 31/10/2002 in TMA Pai Case, the AICTE had issued interim policy regulations, which has been notified in the Gazette of India on 20/03/2003. All the provisions contained in the interim policy regulations shall be applicable for the academic year 2003-2004 in respect of all the AICTE approved institutions.




  
Dr. V. V. Karjinni  
Principal,  
KIT's College of Engineering  
Kolhapur

Contd 3

In the event of infringement/ contravention or non-compliance of the above conditions and/or the provision of AICTE Act & Regulations/ Guidelines/ Norms & Standards as prescribed by AICTE, further actions leading to 'Reduced Intake' or "No Admission or Withdrawal of Approval, may be taken by AICTE and the liability arising out of such actions will be solely that of the Management of the Institution.

Your faithfully,

  
(Prof. R.S.Gaud)  
Adviser(UG)

- ✓
- Encl: (i) **Reasons for "Reduced Intake" to ~~Computer Science & Engineering~~ course and "No Admission" to ~~Mechanical Engineering~~ Course**
- (ii) **Suggested Improvements (Specific Conditions)**

Copy to:

1. The Regional Officer, Western Regional Office, AICTE, Industrial Assurance Building, IInd Floor, Veer Nariman Road, Opp. Churchgate Rly. Station, Mumbai - 400 020.
2. The Registrar, SHIVAJI UNIVERSITY
3. The Secretary, Higher & Technical Education and Employment, Dept., Govt. of Maharashtra, Mantralaya, Mumbai-400 032
4. The Principal ,  
**KOLHAPUR INSTT.OF TECH'S  
COL OF ENGG GOKULSHIRGAUN,  
TAL KARVIL,KOLHAPUR-416 234,**
5. Director of Technical Edu. Govt. of Maharashtra , 3 Mahapalika Marg  
Mumbai -400 001
6. Guard File.



  
Dr. V. V. Karjinni  
Principal,  
KIT's College of Engineering  
Kolhapur

S.No. 95

NAME & ADDRESS OF THE INSTITUTION	PROGRAMME
KOLHAPUR INSTT.OF TECH'S COL OF ENGG GOKULSHIRGAON,TAL KARVIL,KOLHAPUR-416 234,	Degree Engineering

**DEFICIENCIES :-**

- 1) A built up area of 8476 sqm. is available against a requirement of 14040 sqm. thereby resulting in short fall of 5564 sqm.(39.62%) as per AICTE norms.
- 2) 170 computers are available against a requirement of 300 computers, thereby resulting in a shortfall of 130 (43.33 %) as per norms.
- 3) 47 faculty members are available against a requirement of 80, thereby resulting in a shortfall of 33 faculty (41.25 %) as per norms.
- 4) Mix of senior level faculty to be improved.

*Manju Singh*  
(Dr. Manju Singh)  
Deputy Director(UG)



*[Signature]*  
Dr. V. V. Karjinni  
Principal,  
KIT's College of Engineering  
Kolhapur

## DEGREE LEVEL COURSES IN ENGINEERING & TECHNOLOGY

W.R.O. REF. NO.	DEG 117-1391	ADDITIONAL COURSE(S) / VARIATION IN INTAKE	SR.NO.	76
-----------------	--------------	--	--------	----

REGION:	WESTERN	STATE:	MAHARASHTRA
Name and Address of the Institution as per the AICTE approval letter for academic year 2002-2003	Name of the Institution being changed without prior approval of AICTE	Location of the Institution being changed without prior approval of AICTE (operational address)	
KOLHAPUR INSTITUTE OF TECHNOLOGY'S COLLEGE OF ENGINEERING, GOKULSHIRGAON, TAL. KARVIL, KOLHAPUR - 416 234.			

### SUGGESTED IMPROVEMENTS

#### Building

**Required. 14040 Sqm, Available: 8476 Sqm Shortfall > 35%**

- Overall built up area provided for instructional purpose, laboratory, workshop, computer center and administrative area required to be increased to meet the requirements of AICTE norms for existing courses and /or additional courses/variation in intake proposed.
- Built up area/ building provided for the academic and administrative purpose is being shared and combined with other courses need to be separated confirmed.
- The building classrooms / laboratories / workshop / computer center / library should be provided with adequate ventilation and lighting for conducive working.

#### Laboratories / workshops

**Required. 5700 Sqm, Available: 2858 Sqm Shortfall > 45%**

- **Laboratories:** each laboratory must be equipped with more number of sets of equipments and should replace old and out dated equipments with latest technology equipments as per syllabus and curriculum.
- **Workshop:** equipments provided in workshop should be increased to avoid overcrowding of the students. State of art and latest technology machines should be provided by replacing the out dated machines and equipments.

#### Computer center:

**Required: 300 Nos.**

**Available: 170 Nos.**

**Shortfall > 40**

- Central computing facility including departmental computer laboratories must be strengthened as per AICTE norms immediately. Relevant licensed software's as per the curriculum should be provided. Internet connectivity should be improved with higher bandwidth and more number of computers should be provided with proper networking to access Internet services. Number of peripherals must be strengthened with immediate effect.

#### Library

- Adequate number of books with required volumes and titles, national and international technical journals and periodicals should be provided for each course/discipline and digital library must be provided.

#### Faculty

**Required: 80 Nos.**

**Available: 47 Nos.**

**Shortfall > 40**

- Permanent, university approved, regular and qualified principal must be appointed immediately
- University approved regular faculty should be appointed as per students/teacher ratio on a permanent basis w.r.t. approved intake.
- Total faculty ratio with respect to various level of faculty such as head of the department/ professor/assistant professor/lecturer should be provided in all the courses / discipline and confirmed.
- Implementation of fifth pay commission scales and allowances to teaching and non-teaching staff should be confirmed.
- The institution shall maintain proper records and rolls of acquaintance of payments and the records shall be verified by competent authorities whenever called for.

#### Funds

- Institution should not pay rent/transfer any amount of money/loan to the society or any institution on any account.
- Any surplus accrued out of the revenue/income of the institution should be utilized properly for development of institutional facilities.
- The institution shall incur adequate expenditure on per student training cost as per AICTE norms.
- The institution must incur appropriate expenditure as per AICTE norms on all major recurring and non-recurring items such as salary, remuneration of faculty/staff, consumables and equipments

Regional Officer,  
WRO, Mumbai



Addl. Secy.  
AICTE, New Delhi

*(Signature)*  
**Dr. V. V. Karjinni**  
Principal,  
KIT's College of Engineering  
Kolhapur